

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2004-135948
 (43)Date of publication of application : 13.05.2004

(51)Int.Cl.

A60D 33/16
 B60D 51/24


(21)Application number : 2002-304683 (71)Applicant : YOSHIDA INDUSTRY CO LTD
 (22)Date of filing : 18.10.2002 (72)Inventor : YUZUHARA YUKIYUKI

(54) COSMETIC CONTAINER

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a cosmetic container capable of meeting a request to prevent a decorated part from being partly peeled off or falling off a container body of a lid body, and capable of enhancing the flexibility to allow a purchaser to select the outer appearance as the purchaser likes.

SOLUTION: The cosmetic container comprises the container body and the lid body 6 for opening/closing the container body. The cosmetic container also has an elastically deformable interchangeable cover 7 mounted and superposed on the lid body to cover the lid body, a slide engagement part consisting of a sliding rib 16 and a sliding groove 22 mounted between the lid body and the interchangeable cover to slidably engage the interchangeable cover with the lid body, a lock part consisting of a lock piece 18 and a lock projection 26 mounted between the lid body and the interchangeable cover to lock the lid interchangeable cover on the lid body, and a recess part 24 mounted on the lid body for allowing the elastic deformation of the interchangeable cover to detach the replaceable cover from the lock part.



LEGAL STATUS

[Date of request for examination] 28.09.2005

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]
 [Date of extinction of right]

* NOTICES *

JPO and IPPT are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.

2.*** shows the word which can not be translated.

3.In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1]

In the cosmetics container which has a body of a container, and the lid which open and close this,

Covering for exchange with which covers these to either, is made to put each other on it, exchangeable, and it is equipped at least, and in which the elastic deformation of the above-mentioned lid and the above-mentioned body of a container is possible. The slide engagement section which it is prepared [section] between the above-mentioned lid or the above-mentioned body of a container, and the above-mentioned covering for exchange, and makes this covering for exchange engage with these lids or the body of a container free [a slide]. The stop section which stop this covering for exchange that is prepared between the above-mentioned lid or the above-mentioned body of a container, and the above-mentioned covering for exchange, and it is slid to the lid concerned or the body of a container.

The cosmetics container characterized by having the below section which permits the elastic deformation of this covering for exchange in order to be prepared in the above-mentioned lid or the above-mentioned body of a container and to make the above-mentioned covering for exchange recede from the above-mentioned stop section.

[Claim 2]

The cosmetics container according to claim 1 characterized by preparing the attaching part which holds this covering for exchange on the lid concerned or the body of a container between said lid or said body of a container, and said covering for exchange.

[Translation done.]

* NOTICES *

JP and FIG. 1 are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.

2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[Field of the Invention]

This invention relates to the cosmetics container which can raise the degree of freedom as it can respond to the request that it is also partial separates and a decoration part falls out neither from the body of a container, nor a lid, and a purchaser can choose an appearance again according to liking.

[0002]

[Description of the Prior Art]

Generally, a cosmetics container is equipped with the body of a container which contains cosmetics, and the lid which opens this body of a container or is closed, and is constituted. And in order to raise the design nature to the body of these containers and lid which make the appearance of a cosmetics container, decoration is given by various approaches from the former. For example, the pattern etc. was attached upwards using the imprint sheet, transparency or a translucent layer are piled [an alphabetic character a pattern, etc. are imprinted, or] up, and it is made to ornament at the body of a container, or a lid. [that sputtering etc. performs surface treatment.]

[0003]

In addition, the applicant for this patent has applied for the application for patent 2001-249000 as related precedence application.

[0004]

[Problems to be Solved by the Invention]

By the way, it is the purpose of offering the cosmetics container as a product in the high quality partial is left of a high-class feeling if it is in the conventional cosmetics container. It is also possible to separate and a decoration part falls out neither from the body of a container, nor a lid — as the above — even if it is in which decoration approach, separation impossible had usually the request that it was to form in one so that a decoration part might become really inalienable to the body of a container, or a lid.

Such a request meant that the appearance of a cosmetics container was limited to the design which the producer selected on the other hand, and the purchaser had barred enabling it to choose the design appearance of a cosmetics container freely according to liking. For this reason, a design cannot find the cosmetics container of the design included in mind, but is considered that this had become the cause of refinement from buying.

[0005]

It aims at offering the cosmetics container which can raise the degree of freedom as which this invention can be originated in view of the above mentioned conventional technical problem, and it can respond to the request that it is also partial separates and a decoration part falls out neither from the body of a container, nor a lid, and a purchaser can choose an appearance again according to liking.

[0007]

[Means for Solving the Problem]

In the cosmetics container with which the cosmetics container concerning this invention has a body of a container, and the lid which opens and closes this Covering for exchange with a covers these to either, is made to put each other on it, exchangeable, and it is equipped at least in which the elastic deformation of the above-mentioned lid and the above-mentioned body of a container is possible. The slide engagement section, which is prepared [a section] between the above-mentioned lid or the above-mentioned body of a container, and the above-mentioned covering for exchange, and makes this covering for exchange engage with these lids or the body of a container free [a slide]. The stop section which stops this covering for exchange that is prepared between the above-mentioned lid or the above-mentioned body of a container, and the above-mentioned covering for exchange, and is slid to the lid concerned or the body of a container. In order to be prepared in the above-mentioned lid or the above-mentioned body of a container, in order to make the above-mentioned covering for exchange secures from the above-mentioned stop section, it is characterized by having the hollow section which permits the elastic deformation of this covering for exchange. It becomes possible to raise the degree of freedom as which it can respond to the request that it is also partial separates and a decoration part falls out neither from the body of a container, nor a lid by this, and a purchaser can choose an appearance again according to liking.

[0008]

Moreover, it is characterized by preparing the attaching part, which holds this covering for exchange on the lid concerned or this body of a container between said lid or said body of a container, and said covering for exchange. It enables this to hold firmly covering for exchange which is stopped by a lid or the body of a container and which can be slid to a lid fixed.

[0009]

[Embodiment of the Invention]

Below, I suitably separate each of the cosmetics container concerning this invention is explained with reference to accompanying drawings at a detail. The dashed body 3 of the container made of synthetic resin with which the elastic covering 2 was formed as the cosmetics container 1 concerning this operation is made by the use of a covering 2, which is connected with the body 3, other die-length direction body 3, and the covering 2, which is connected to the vertical direction) through a hinge 4 and opening and closing the body 3, as [the rotation to the vertical direction] of a container free [engaging and releasing] through hook 5, and making the closedown condition of the body 3 of a container concerned. If it is in either and the example of illustration even if there are few lids 6 and bodies 3 of a container, you can let each other on a lid 6 [attachment and detachment], and it is equipped, and a lid 6 easily consists of covering 2 for exchange made of the synthetic resin of the shape of a board in which wrap elastic deformation is possible exchangeable.

[0010]

The quality of the material of the covering 2 for exchange may be not only the product made of synthetic resin but metal. Moreover, the covering 2 for exchange covers the body 3 of a container, and may be prepared, and may be prepared for the both sides of a lid 6 and the body 3 of a container, and may be prepared for the both sides of a lid 6 and the body 3 of a container. If it is in the example of illustration, although, as for the covering 2 for exchange, the flat-surface appearance profile is formed in the body 3 of these containers, the lid 6, and the lid in the shape of a rectangle, you may be the shape of a polygon, and a circle configuration. The mirror 8 is attached in the rear face of a lid 6.

[0011]

Hook 5 consists of projection 10 for a hook which protruded in the hollow 9 formed in the front end of the body 3 of a container, and a piece 11 of a hook which hangs from the front end of a lid 6 and engages with the projection 10 for a hook free [engaging and releasing]. Moreover, a hinge 4 consists of that the hinge block 13 made to hang from the back end of lid 6 is put, covers the piece 12 of a hinge from these hinge blocks 13, and a hinge pin 14 is inserted crosswise [of the body 3 of a container / right-and-left] between the pieces 12 of a hinge by which the pair protrusion was carried out from the back end of the body 3 of a container.

[0012]

the cosmetics container 1 and this operation gestalt have the covering 7 for exchange, what various kinds of various decoration was given is prepared so that a purchaser can choose the design/appearance of a lid 6 freely according to liking. The decoration part given to the covering 7 for these exchange is really formed in separation impossible in one indivisible by the approach of general common knowledge to the covering 7 for exchange so that it is also partial may replace and it may not drop out.

[0013]

Furthermore explains to a detail, the covering 7 for exchange will be made to hang toward a stop 18 of the back and from the periphery, and the suspension section 15 will be formed. As an example of the covering 7 for exchange, the suspension section 15 of the part of the right and left cross direction of the covering 7 for exchange is made to project inside along with the cross direction of the covering 7 for exchange among the suspension section 15 of the covering 7 for exchange, and the rib 16 for a slide is formed. Spacing between slideably projecting section 15 of the covering 7 for exchange 1 and it is made to project inside in the suspension section 15 of the covering 7 front and for exchange, and two intermediate projections 17 are formed in it.

[0014]

Moreover, the covering 7 for exchange is made to project from the back and to back, and the piece 18 of a stop is formed in it. The upward heights 18 are formed at the 15 of the piece 18 of a stop. And the covering 7 for exchange has come to be fully able to carry out elastic deformation of the back and circumference equipped with the piece 18 of a stop toward a lid 6 by the front end and the suspension section 15 on either side.

[0015]

On the other hand, except for the back and, the lid 6 formed in tabular by considerable thickness is made to project from the peripheral-wall flange lower limit to the method of the outside of horizontal, and the flange 20 in the which suspension section 15 of the covering 7 for exchange is laid is formed in it. Moreover, the bulge section 21 which projects upwards from top-face 8b of a lid 6 over the flange 20 on either side crosswise [of a lid 6] is formed in the back and of a lid 6, and the back end of the covering 7 for exchange is contacted by this bulge section 21. Similarly, the suspension section 15 of the covering 7 front end for exchange is contacted by peripheral-wall 6a of the lid 6 front end.

[0016]

To peripheral-wall 6a of the pair of the right-and-left cross direction of a lid 6, among peripheral-wall 6a, respectively A considerable die length, and it is made to become depressed inside toward the back from the front end of a lid 6, and the stop 22 for a slide where the rib 16 for a slide is inserted free [insert and remove] is formed. With the stop 22 for these slides, and the rib 16 for a slide The slide engagement section which makes the covering 7 for exchange engaged free [a slide] to a lid 6 between a lid 6 and the covering 7 for exchange is prepared.

And the rib 16 for a slide is inserted in the stop 22 for a slide from the front end of a lid 6, and is said to the cross direction of a lid 6. The rib 16 for these slides and the stop 22 for a slide are mutually engaged in the vertical direction possible [the slide to a cross direction] impossible [pulling out] with the relation between an external corner and an internal corner by which angle attachment was carried out.

[0017]

Moreover, the maintenance projection 17 of the covering 7 for exchange and a corresponding part are followed to the inside, the retention groove 23 in which the maintenance projection 17 concerned is inserted free [insert and remove] is formed in them, and the attaching part which holds the covering 7 for exchange to a lid 6 between a lid 6 and the covering 7 for exchange is prepared in them by these relation groove 23 and the maintenance projection 17 at peripheral-wall 6a of the lid 6 front end. Even if it is in these maintenance projection 17 and the retention groove 23, it is mutually engaged [with the vertical direction free [engaging and releasing to a cross direction] impossible [pulling out] with the relation between an external corner and an internal corner by which angle attachment was carried out. And the maintenance projection 17 engages with the retention groove 23 free [engaging and releasing] according to the suspension section

15 of the covering 7 front end for exchange being contacted by peripheral-wall 6a of the lid 6 front end.

[0018]

Furthermore, while becoming depressed in the bulge section 21 side of the top-face 8b which faces the covering 7 for exchange and forming the section 24, it migrates to the crosswise center section of the hinge block 13 from the lower limit at the bulge section 21, and the fluting 25 which leaves tooth-back section 13a of the hinge block 13 concerned, and is opened for free passage by single string with the hollow section 24 is formed in a lid 6. And it is made to project downward in the upper limit of the fluting 25 wide opened toward the hollow section 24 from the top face of the bulge section 21, the stop projection 26 is formed in it, and the stop section which stops the covering 7 for exchange concerned slid between a lid 6 and the covering 7 for exchange by these stop projection 26 and the above-mentioned piece 18 of a stop to a lid 6 is formed in it.

[0019]

If it is in the heights 18 of these stop projection 26 and the piece 18 of a stop, it engages with the cross direction which is the slide direction of the covering 7 for exchange free [engaging and releasing in the vertical direction] impossible [pulling out] with the relation between an external corner and an internal corner by which angle attachment was carried out mutually. And the fluting 25 and the heights 18 of the fluting 25 being contacted by the bulge section 21 of the lid 6, and the heights 18 of the fluting 25 hidden from under the stop projection 26, and the piece 18 of a stop is stopped. And it is made to project from the back of the lid 6, and the piece 18 of a stop may make the covering 7 for exchange slide in the vertical direction possible [the slide to a cross direction] impossible [pulling out] with the relation between the covering 7 for exchange and a lid 6, and the elastic deformation by depression of the covering 7 for exchange concerned is permitted.

[0020]

If an operation of the cosmetics container 1 concerning this operation gestalt is explained. In case the purchaser who purchased the cosmetics container 1 will exchange for the new covering 7 for exchange of other designs the covering 7 for exchange with which the lid 6 is equipped, elastic deformation of the back and part of the covering 7 for exchange located on the hollow section 24 is depressed and carried out first. Thus, by carrying out elastic deformation of the covering 7 for exchange, as shown in drawing 4, the piece 18 of a stop is caused depressed rather than the stop projection 26, and the stop by the stop section breaks away by this.

[0021]

The covering 7 for exchange is lengthened toward the front in this condition, if the covering 7 for exchange is lengthened, the rib 16 for a slide moves along the stop 22 for a slide, and as shown in drawing 5 in connection with this, while the piece 18 of a stop is extracted from the bulge section 21, the maintenance projection 17 will also slide from the retention groove 23, and, thereby, can remove the covering 7 for exchange from a lid 6.

[0022]

Subsequently, in case a lid 6 is equipped with the new covering 7 for exchange, the rib 16 for a slide is fitted over the stop 22 for a slide from the front end of a lid 6, and the covering 7 for exchange is made to slide toward back, if the back end of the covering 7 for exchange reaches the bulge section 21, being accompanied by the elastic deformation of the covering 7 for exchange, it is in the condition that the piece 18 of a stop will be hidden under the stop projection 26, and will be stopped, and the maintenance projection 17 will engage with this and coincidence at the retention groove 23, and the suspension section 15 of the covering 7 for exchange was laid on the flange 20 of a lid 6 with this. The back end of the covering 7 for exchange and the front end, and the peripheral-wall 6a of the suspension section 15 are contacted with the bulge section 21 of a lid 6, and the peripheral-wall 6a from front end, and, thereby, a lid 6 can be piled up and equipped with the covering 7 for exchange.

[0023]

It is in the cosmetics container 1 concerning this operation gestalt as explained above. The covering 7 for exchange with which covers this to a lid 6, is made to put each other on it exchangeable, and it is equipped and in which elastic deformation is possible. The slide

engagement section which it is prepared [section] between a lid 6 and the covering 7 for exchanges, and makes the covering 7 for exchange engage with a lid 6 free [a slide] and which consists of a rib 16 for a slide, and a slot 22 for a slide. The stop section is prepared between a lid 6 and the covering 7 for exchange, and stops the covering 7 for exchange since the lid 6 concerned and which consists of a piece 18 of a stop and stop projection 26. Since it had the hollow section 24 which permits the elastic deformation of the covering 7 for exchange in order to be prepared in a lid 6 and to make the covering 7 for exchange coming from the stop container 1 to exchange the covering 7 for exchange and the appearance of the cosmetics container 1 is limited to the design which the producer selected — there is nothing — as the cosmetics container 1 — a purchase — lining — responding — an appearance — a degree of freedom — it shall choose highly and, thereby, attractiveness to consumers shall be raised [0024]

Moreover, as covering 7 for exchange, like the conventional lid etc., that it is also partial separates, and a decoration part does not fall out from the covering 7 for exchange, and the cosmetics container 1 as a product can be offered in the high quality which is full of a high-class feeling without the former and inferiority that what is necessary is just to form the decoration part of each other in separation impossible in one really indivisible therefore.

[0025] Moreover, description actuation of the covering 7 for exchange can be easily performed only mainly by the slide actuation of the slide engagement section which consists of a rib 16 for a slide, and a slot 22 for a slide. Moreover, since the attaching part which holds a lid 6 for exchange to the lid 6 concerned and which consists of reinforcement projection 17 and reinforcement groove 23 was prepared between a lid 6 and the covering 7 for exchange, the covering 7 for exchange which can be slid freely can be firmly held to a lid 6 fixed. Furthermore, with the slot 22 for a slide, and the rib 16 for a slide, slide actuation of a lid 6 and the covering 7 for exchange [0026] guided, and the stable operability can be secured.

[0027] Moreover, since the hollow section 24 which permits the elastic deformation was formed in the lid 6 while forming the covering 7 for exchange possible [elastic deformation], engaging-and-releasing actuation of the piece 18 of a stop to the stop projection 26 can be easy-and. Moreover, since the stop projection 26 and the piece 18 of a stop were made to engage with pulling-out impossible in the slide direction with the relation between an external corner and an internal corner, when it can fix the covering 7 for exchange to a lid 6 firmly also from this configuration and the impact by fall etc. acts on the cosmetics container 1, the covering 7 for exchange can prevent dropping out simply.

[0028] By the way, what is necessary is to make it hang from the covering 7 for exchange, to form a slide protruding line, and just to constitute, the slide engagement section, while forming a slide concave in top-face 8b of a lid 6, when the flat-surface appearance profile of the covering 7 for exchange is made into the shape of a polygon or a circle configuration at the body 3 of a container, a lid 6, and a lid.

What is necessary is to make the slide engagement section, the stop section, and an attaching part prepare between the body 3 of a container, and the covering 7 for exchange, and just to make it the hollow section 24 prepare to the body 3 of a container, although this was explained to the lid 6 taking the case of the case where the covering 7 for wrap exchange is formed enabling free attachment and detachment, exchangeable if it was in this operation gesture mentioned above, in forming the covering 7 for exchange in the body 3 of a container.

[0029] Furthermore, although the cosmetics container 1 equipped with the hinge 4 or the hook 5 was illustrated and explained if it was in this operation gesture, of course, you may apply to the various containers of the type which detaches and attaches a lid 6 according to screw structure or path fitting structure not only to this but to the body 3 of a container.

[0030]

[Effect of the Invention]
Above, in short, if it is in the cosmetics container concerning this invention, the degree of freedom as which it can respond to the request that that it is also partial separates and a decoration part falls out neither from the body of a container nor a lid, and a purchaser can choose an appearance again according to liking can be raised.

[Brief Description of the Drawings]
[Drawing 1] It is the sectional side elevation showing 1 suitable operation gesture of the cosmetics container concerning this invention.
[Drawing 2] some lids of the cosmetics container of drawing 1 — it is a fracture decomposition perspective view.

[Drawing 3] some cosmetics containers of drawing 1 — it is a transverse plane sectional view.
[Drawing 4] It is the important section expansion sectional side elevation showing the condition of having carried out elastic deformation of the covering for exchange of the cosmetics container of drawing 1, and having made it succeeding from the stop section.
[Drawing 5] It is the important section expansion sectional side elevation showing the process in which make covering for exchange of the cosmetics container of drawing 1 slide, and it is removed.

[Description of Notations]
1 Cosmetics Container 3 Body of Container
4 Lid 7 Covering for Exchange
16 Rib for Slide 17 Reinforcement Projection
18 Piece of Stop 19 Hinge
22 Slot for Slide 23 Reinforcement Groove
24 Hollow Section 26 Stop Projection

[Translation done.]

* NOTICES *

JPO and IPPT are not responsible for any damages caused by the use of this translation.

1 This document has been translated by computer. So the translation may not reflect the original precisely.

2 **** shows the word which can not be translated.

3 In the drawings, any words are not translated.

DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1] It is the sectional side elevation showing 1 suitable operation gesture of the cosmetics container concerning this invention.

[Drawing 2] some lids of the cosmetics container of drawing 1 — it is a fracture decomposition perspective view.

[Drawing 3] some cosmetics containers of drawing 1 — it is a transverse-plane sectional view.
[Drawing 4] It is the important section expansion sectional side elevation showing the condition of having carried out elastic deformation of the covering for exchange of the cosmetics container of drawing 1, and having made it, second from the stop section.

[Drawing 5] It is the important section expansion sectional side elevation showing the process in which make covering for exchange of the cosmetics container of drawing 1 slide, and it is removed.

[Description of Notations]

- 1 Cosmetics Container 3 Body of Container
- 6 Lid 7 Covering for Exchange
- 16 Rib for Slide 17 Maintenance Projection
- 18 Piece of Stop 19 Heights
- 22 Slot for Slide 23 Retention Groove
- 24 Hollow Section 26 Stop Projection

[Translation done.]

【 考 察 2020 】
本 考 察 題 目 に か か る 点 は 生 活 題 目 1 の 作 用 に つ い て 説 明 す る と 、 化 学 科 生 活 題 目 1 を 購 入 し た 購 入 者 が 購 入 後 6 ヶ 月 に 収 容 さ れ て い る 交 友 親 戚 カ ー ド を 、 他 の 子 だ ち の 子 の 新 た な 交 友 親 戚 カ ー ド に 交 換 す る 際 に は 、 ま ず 、 購 入 後 2 ヶ 月 に 達 し た 交 友 親 戚 カ ー ド の 後 続 活 動 を 理 解 し 下 げ て 理 解 化 解 さ れ る 。 こ の よ う に 交 友 親 戚 カ ー ド を 理 解 化 解 さ れ る こ と で 、 購 入 し 示 示 し 下 げ 保 止 片 1 が 購 入 後 2 ヶ 月 も 更 に 交 友 親 戚 し 下 げ 下 げ ら れ 、 こ の よ う に 保 止 部 に 交 友 親 戚

【0021】
この装置で交換用カバー7を前方に向かって引く。交換用カバー7を引くと、スライド用溝2に沿ってスライド用リゾ16が移動し、これに伴って図5に示すように係止片18が突出部21から抜き出されるとともに、保持突起17も保持溝23から離脱されることになり、これにより交換用カバー7を簡単6から取り外すことができる。

[illegible][illegible]

また文脈用カバークとして、従来の「細体」と同様、原稿部分を「一体不可分」に互いに分離不能に一体的に形成すればよく、従って印刷部分が文脈用カバークから部分的にでも分離したり、また脱色したりすることをなく、製品としての化粧装飾剤1を、従来と違って互いに分離されない状態で提供することができる。

[illegible]

また、交換用カバー7を異型変形可能に形成するとともに、その変形形状を消滅する機構部24を備え6に配したので、停止位置26に対する停止片18の位置操作を容易化することである。また、停止位置26と、この構成からと交換用カバー7を備え6によってスライド方向に使用小径に保持させたので、この構成からと交換用カバー7を備え6に於いて、

固定することができ、化粧料容器に液体などによる衝撃が作用した場合に、交換用カバーが簡単に脱落してしまうことを防止できる。

【02027】
ところで、管器本体3、筒体6、並びに交換用カバート7の平面外形輪郭を多年形成又は形成した場合には、例えば筒体6の上面6bにスライド凹溝を形成するとともに、交換用カバート7から垂下させてスライド片8を形成するなどしてスライド嵌合部を構成すればよ

【0028】
 に述べた本発明形態にあつては、種々6に交換可能にこれを覆う交換用カバー7を箱状開口に設ける場合を例にとつて説明したが、発明本体3に交換用カバー7を設ける場合には、発明本体3と交換用カバー7との間にスライド係合部や係止部、保持部を設けるようにし、また第1部24は発明本体3に設けるようにすればよい。

[illegible]

【要一】林虎所てなる代筆書翰體の文編を一冊攝影體を以て十國語に及ぼす。

【要二】國一の代筆書翰體の書翰の一語彙事ヲ調査其圖である。

【要三】國一の代筆書翰體の一語彙事ヲ調査其圖である。

【例4】図1の北北西-南南東の交換用カバーを弾性変形させて、係止部から離脱させた状態を示す張部拡大断面図である。

大體断面図である。

【符号の説明】

1 化粧板窓 2 窓木小


6	蒸体	7	交換用カバー
16	スライド用リゾ	17	保持突起
18	底止止	19	止壁

2 2	スライド用清	2 3	保持機
2 4	締め部	2 6	係止突起


(7)

JP 2004-135948 A 2004.5.13


【図 1】




【図 2】



【図 3】



【図 4】



【図 5】

